

VERSA FLEX BAR

All-in-one Lighting System w/ 2 x 25W Spot Moving Heads and FX Bar 5050. Additonal attachments available.

JMAZ Super sleek and versatile, the VERSA FLEX BAR allows you to fully customize its look. Control options include functional built in shows easily accessible via the RF remote, DMX, and sound active. Equipped with 96 RGB SMD's, 144 cool-white SMD's, 12 warm white LEDs, dual 25W moving heads, and endless ways to flex with a full line of pars and effects fixtures. Added flexibility with mounting options like no other, the VERSA FLEX BAR is the ultimate all in one lighting solution for your next event.

MAIN FEATURES

- 12 x 5W Warm White LED
- 96 x 3in1 (RGB) Outer Wash SMD LED
- 144 x Ultra White Inner Strobe SMD LED
- DMX, Master/Slave, Stand Alone, Sound Activated, RF Remote
- 5W White LED Per Mover, 7 Static Gobos + Open Wheel, 7 Colors + Open Wheel

TECHNICAL SPECIFICATIONS

LIGHT SOURCE

• Source: 96 x 0.5W RGB SMDs, 144 x 0.5 CW SMDs, 12 x 5W WW LEDs, 2 x 25W White LEDs

Color System

- Warm White LEDs
- Color LEDs: RGB
- CW SMD LEDs
- Color Wheel: 6 + Open

BODY

• Die-cast aluminum alloy

ELECTRONICS

- Dimmer: 0-100% Linear Dimmer
- Strobe/Shutter: 25 T/sec

ELECTRICAL

- Mains Power Supply:AC Mains
- Input Voltage: 110-240V, 50HZ/60HZ

UPC

• 618528607139

OPTICS

- WW LEDs: 26° Beam Angle
- Moving Heads: 14° Beam Angle

DYNAMIC EFFECTS

- RGB Wash Effect
- Strobe
- Beam Effect
- Dynamic RGB
- Zone Control
- Moving Head Totem s

CONTROL

- Protocols: DMX512
- DMX Channels: 25/35/45/83 Channel Modes

PHYSICAL


- IP Rating: 20
- Cooling: Fan
- Data Connection: DMX
- Power Connection: Power-CON
- Dimensions: 39.8"" x 5.9"" x 23.2""
- Weight: 41.3 lbs.





VERSA FLEX BAR

TECHNICAL DRAWINGS



VERSA FLEX BAR



PHOTOMETRICS DIAGRAM

